Summary of Heat Resistant Adhesive (HRA) Approvals by ALSC Board of Review  Method A Adhesives		
	Agency	Action
<b>Hexion Wonderbond MR-84 with Wonderbond M610LY</b> (formerly Momentive	WWPA	Approved 7-23-07
MR84A with Momentive M610LY, formerly Hexion)		
Hexion Wonderbond MR-84 with Wonderbond M605LY (formerly Momentive MR84A with Momentive M605LY, formerly Hexion)	WWPA	Approved 7-23-07
Hexion Cascomel 4720 with Wonderbond 5025A (formerly Franklin Advantage 500 Prefere 4720 with Franklin Advantage Prefere 5025A)	WWPA	Approved 7-23-07
Hexion Cascophen AG-5675 with Cascoset FM-6310L (formerly Momentive PRF/AG-5675Q with Momentive FM6310L catalyst, formerly Hexion)	WWPA	Approved 7-23-07
Hexion Cascophen AG-5635 with Hexion Cascoset LQ-100 (formerly Momentive PRF/AG-5636Q with Momentive LQ100 catalyst, formerly Hexion)	WWPA	Approved 7-23-07
GP-4214 PRF with GP-4568 Hardener	TP	Approved 7-23-07
MOMENTIVE (formerly Hexion) Cascomel MF-3L with Wonderbond Hardener M-610LY	WWPA	Approved 11-1-07
PURBOND HB E032 (3074-3) Polyurethane	WWPA	Approved 7-24-08
Henkel TR4938/TR4937 EPI	WWPA	Approved 7-24-08
Hexion Wonderbond EPR-20 with Wonderbond M-318LY (formerly Momentive EPR-20 with Momentive M-318LY, formerly Hexion)	WWPA	Approved 11-6-08
PURBOND GT 20 (Resin) and PURBOND GT 205 (Catalyst)	WWPA	Approved 11-9-11
Franklin Adhesive Advantage EP-950A emulsion w/hardener 200 MDI (EPI)	WWPA	Approved 2-2-17
Hexion Cascophen LT-5210J with Cascoset FM-7400 Hardener	WWPA/ OLMA/ QFIC	Approved 2-1-18
Henkel Loctite UR 5180 (formerly Henkel Loctite UR5150NA)	CMSA	7-11-18
	CMSA	Approved 1-24-19
Method B Adhesive		
HRA Adhesive	Submitting	Board of Review
	Agency	Action
Cascophen LT-5210J with Cascoset FM-7400 (formerly Momentive Cascophen	WWPA/	Approved 7-23-07 for
LT-5210J with Cascoset FM-7400, formerly Hexion)	COFI	Stud grade DF-L and
		DF(N) as highest grade
Franklin Adhesive Advantage EP-950A emulsion w/hardener 200 MDI (EPI)	SPIB	Approved 10-24-16 – tested to No.2 SYP load (see ASTM D6513)